

**B BARATHRUM**



## ABOUT

With foundations laid down since the year 1994, Barathrum Arms has been a constant name in the Turkish local market for two decades since it was founded. Based on the positive reviews that were received during this period, Barathrum Arms decided to open its doors to the outside world since the year 2014. Till today, Barathrum Arms is committed to producing the highest quality products for our clients all over the World.

With a 1,000 square meter factory located in Konya, Barathrum Arms Company has been expanding gradually ever since it was founded with the help of our ever present and ever hard working employees who put their passion and craftsmanship into producing high quality products all the time. On top of this products go through a high standard quality control system that makes sure the product are manufactured under the CIP restrictions.





## BRT520

<b>CALIBER</b>	4.5 mm .177ca	5.5 mm .22cal	6.35 mm .25cal
<b>VELOCITY</b>	850/1100 fps	830/950 FPS 18.13gr JSB	800/870 fps
<b>ENERGY</b>	30 Joules	46 Joules	58 Joules
<b>BARREL LENGTH</b>	55CM 21,65 INCH		
<b>BARREL MATERIAL</b>	STEEL		
<b>BARREL TYPES</b>	RIFLED		
<b>TOTAL LENGTH</b>	100 CM 39,37 INCH		
<b>NUMBER OF SHOTS PER FILL</b>	4.5mm/70 Shot	Shots 5.5mm/60 Shots	6.35mm /50 Shots
<b>LENGHT OF PULL</b>			
<b>STOCK</b>	TURKISH WALNUT		
<b>PICATINNY RAIL</b>	YES		
<b>MAGAZINE</b>	7075 ALUMINUM		
<b>MAGAZINE CAPACITY</b>	4.5 mm / 14 Pcs	5.5 mm / 12 Pcs	6.35 mm / 10 Pcs
<b>AIR TUBE VOLUME</b>	200 Bar / 280 CC		
<b>AVERAGE WEIGHT</b>	3,5 KG/7,71 POUND		
<b>TRIGGER</b>	4 WAY- ADJUSTABLE		



400 \$



## BRT320

<b>CALIBER</b>	4.5 mm .177ca	5.5 mm .22cal	6.35 mm .25cal
<b>VELOCITY</b>	850/1100 fps	830/950 FPS 18.13gr JSB	800/870 fps
<b>ENERGY</b>	30 Joules	46 Joules	58 Joules
<b>BARREL LENGTH</b>	55CM 21,65 INCH		
<b>BARREL MATERIAL</b>	STEEL		
<b>BARREL TYPES</b>	RIFLED		
<b>TOTAL LENGTH</b>	100 CM 39,37 INCH		
<b>NUMBER OF SHOTS PER FILL</b>	4.5mm/70 Shot	Shots 5.5mm/60 Shots	6.35mm /50 Shots
<b>LENGHT OF PULL</b>			
<b>STOCK</b>	LAMINATED		
<b>PICATINNY RAIL</b>	YES		
<b>MAGAZINE</b>	7075 ALUMINUM		
<b>MAGAZINE CAPACITY</b>	4.5 mm / 14 Pcs	5.5 mm / 12 Pcs	6.35 mm / 10 Pcs
<b>AIR TUBE VOLUME</b>	200 Bar / 280 CC		
<b>AVERAGE WEIGHT</b>	3,5 KG/7,71 POUND		
<b>TRIGGER</b>	4 WAY- ADJUSTABLE		





## BRT330


<b>CALIBER</b>	4.5 mm .177ca	5.5 mm .22cal	6.35 mm .25cal
<b>VELOCITY</b>	850/1100 fps	830/950 FPS 18.13gr JSB	800/870 fps
<b>ENERGY</b>	30 Joules	46 Joules	58 Joules
<b>BARREL LENGTH</b>	55CM 21,65 INCH		
<b>BARREL MATERIAL</b>	STEEL		
<b>BARREL TYPES</b>	RIFLED		
<b>TOTAL LENGTH</b>	100 CM 39,37 INCH		
<b>NUMBER OF SHOTS PER FILL</b>	4.5mm/70 Shot	Shots 5.5mm/60 Shots	6.35mm /50 Shots
<b>LENGHT OF PULL</b>			
<b>STOCK</b>	TURKISH WALNUT		
<b>PICATINNY RAIL</b>	YES		
<b>MAGAZINE</b>	7075 ALUMINUM		
<b>MAGAZINE CAPACITY</b>	4.5 mm / 14 Pcs	5.5 mm / 12 Pcs	6.35 mm / 10 Pcs
<b>AIR TUBE VOLUME</b>	200 Bar / 280 CC		
<b>AVERAGE WEIGHT</b>	3,5 KG/7,71 POUND		
<b>TRIGGER</b>	4 WAY- ADJUSTABLE		



## BRT430

CALIBER	4.5 mm .177ca	5.5 mm .22cal	6.35 mm .25cal
VELOCITY	850/1100 fps	830/950 FPS 18.13gr JSB	800/870 fps
ENERGY	30 Joules	46 Joules	58 Joules
BARREL LENGTH	55CM 21,65 INCH		
BARREL MATERIAL	STEEL		
BARREL TYPES	RIFLED		
TOTAL LENGTH	100 CM 39,37 INCH		
NUMBER OF SHOTS PER FILL	4.5mm/70 Shot	Shots 5.5mm/60 Shots	6.35mm /50 Shots
LENGHT OF PULL			
STOCK	LAMINATED		
PICATINNY RAIL	YES		
MAGAZINE	7075 ALUMINUM		
MAGAZINE CAPACITY	4.5 mm / 14 Pcs	5.5 mm / 12 Pcs	6.35 mm / 10 Pcs
AIR TUBE VOLUME	200 Bar / 280 CC		
AVERAGE WEIGHT	3,5 KG/7,71 POUND		
TRIGGER	4 WAY- ADJUSTABLE		







## BRT110



<b>CALIBER</b>	4.5 mm .177ca	5.5 mm .22cal	6.35 mm .25cal
<b>VELOCITY</b>	850/1100 fps	830/950 FPS 18.13gr JSB	800/870 fps
<b>ENERGY</b>	30 Joules	46 Joules	58 Joules
<b>BARREL LENGTH</b>	55CM 21,65 INCH		
<b>BARREL MATERIAL</b>	STEEL		
<b>BARREL TYPES</b>	RIFLED		
<b>TOTAL LENGTH</b>	100 CM 39,37 INCH		
<b>NUMBER OF SHOTS PER FILL</b>	4.5mm/70 Shot	Shots 5.5mm/60 Shots	6.35mm /50 Shots
<b>LENGHT OF PULL</b>			
<b>STOCK</b>	TELESCOPIC		
<b>PICATINNY RAIL</b>	YES		
<b>MAGAZINE</b>	7075 ALUMINUM		
<b>MAGAZINE CAPACITY</b>	4.5 mm / 14 Pcs	5.5 mm / 12 Pcs	6.35 mm / 10 Pcs
<b>AIR TUBE VOLUME</b>	200 Bar / 280 CC		
<b>AVERAGE WEIGHT</b>	3,5 KG/7,71 POUND		
<b>TRIGGER</b>	4 WAY- ADJUSTABLE		







## BRT210

CALIBER	4.5 mm .177ca	5.5 mm .22cal	6.35 mm .25cal
VELOCITY	850/1100 fps	830/950 FPS 18.13gr JSB	800/870 fps
ENERGY	30 Joules	46 Joules	58 Joules
BARREL LENGTH	55CM 21,65 INCH		
BARREL MATERIAL	STEEL		
BARREL TYPES	RIFLED		
TOTAL LENGTH	100 CM 39,37 INCH		
NUMBER OF SHOTS PER FILL	4.5mm/70 Shot	Shots 5.5mm/60 Shots	6.35mm /50 Shots
LENGHT OF PULL			
STOCK	TELESCOPIC		
PICATINNY RAIL	YES		
MAGAZINE	7075 ALUMINUM		
MAGAZINE CAPACITY	4.5 mm / 14 Pcs	5.5 mm / 12 Pcs	6.35 mm / 10 Pcs
AIR TUBE VOLUME	200 Bar / 280 CC		
AVERAGE WEIGHT	3,5 KG/7,71 POUND		
TRIGGER	4 WAY- ADJUSTABLE		





## BRT55 7075 ALUMINUM RECEIVER

<b>CALIBER</b>	4.5 mm .177ca	5.5 mm .22cal	6.35 mm .25cal
<b>VELOCITY</b>	850/1100 fps	830/950 FPS 18.13gr JSB	800/870 fps
<b>ENERGY</b>	30 Joules	46 Joules	58 Joules
<b>BARREL LENGTH</b>	55CM 21,65 INCH		
<b>BARREL MATERIAL</b>	STEEL		
<b>BARREL TYPES</b>	RIFLED		
<b>TOTAL LENGTH</b>	100 CM 39,37 INCH		
<b>NUMBER OF SHOTS PER FILL</b>	4.5mm/70 Shot	Shots 5.5mm/60 Shots	6.35mm /50 Shots
<b>LENGHT OF PULL</b>			
<b>STOCK</b>	TELESCOPIC		
<b>PICATINNY RAIL</b>	YES		
<b>MAGAZINE</b>	7075 ALUMINUM		
<b>MAGAZINE CAPACITY</b>	4.5 mm / 14 Pcs	5.5 mm / 12 Pcs	6.35 mm / 10 Pcs
<b>AIR TUBE VOLUME</b>	200 Bar / 280 CC		
<b>AVERAGE WEIGHT</b>	3,5 KG/7,71 POUND		
<b>TRIGGER</b>	4 WAY- ADJUSTABLE		



## BRT56 7075 ALUMINUM RECEIVER

CALIBER	4.5 mm .177ca	5.5 mm .22cal	6.35 mm .25cal
VELOCITY	850/1100 fps	830/950 FPS 18.13gr JSB	800/870 fps
ENERGY	30 Joules	46 Joules	58 Joules
BARREL LENGTH	55CM 21,65 INCH		
BARREL MATERIAL	STEEL		
BARREL TYPES	RIFLED		
TOTAL LENGTH	100 CM 39,37 INCH		
NUMBER OF SHOTS PER FILL	4.5mm/70 Shot	Shots 5.5mm/60 Shots	6.35mm /50 Shots
LENGHT OF PULL			
STOCK	TELESCOPIC		
PICATINNY RAIL	YES		
MAGAZINE	7075 ALUMINUM		
MAGAZINE CAPACITY	4.5 mm / 14 Pcs	5.5 mm / 12 Pcs	6.35 mm / 10 Pcs
AIR TUBE VOLUME	200 Bar / 280 CC		
AVERAGE WEIGHT	3,5 KG/7,71 POUND		
TRIGGER	4 WAY- ADJUSTABLE		



## BRT57 7075 ALUMINUM RECEIVER

<b>CALIBER</b>	4.5 mm .177ca	5.5 mm .22cal	6.35 mm .25cal
<b>VELOCITY</b>	850/1100 fps	830/950 FPS 18.13gr JSB	800/870 fps
<b>ENERGY</b>	30 Joules	46 Joules	58 Joules
<b>BARREL LENGTH</b>	55CM 21,65 INCH		
<b>BARREL MATERIAL</b>	STEEL		
<b>BARREL TYPES</b>	RIFLED		
<b>TOTAL LENGTH</b>	100 CM 39,37 INCH		
<b>NUMBER OF SHOTS PER FILL</b>	4.5mm/70 Shot	Shots 5.5mm/60 Shots	6.35mm /50 Shots
<b>LENGHT OF PULL</b>			
<b>STOCK</b>	TELESCOPIC		
<b>PICATINNY RAIL</b>	YES		
<b>MAGAZINE</b>	7075 ALUMINUM		
<b>MAGAZINE CAPACITY</b>	4.5 mm / 14 Pcs	5.5 mm / 12 Pcs	6.35 mm / 10 Pcs
<b>AIR TUBE VOLUME</b>	200 Bar / 280 CC		
<b>AVERAGE WEIGHT</b>	3,5 KG/7,71 POUND		
<b>TRIGGER</b>	4 WAY- ADJUSTABLE		



## BRT58 7075 ALUMINUM RECEIVER

<b>CALIBER</b>	4.5 mm .177ca	5.5 mm .22cal	6.35 mm .25cal
<b>VELOCITY</b>	850/1100 fps	830/950 FPS 18.13gr JSB	800/870 fps
<b>ENERGY</b>	30 Joules	46 Joules	58 Joules
<b>BARREL LENGTH</b>	55CM 21,65 INCH		
<b>BARREL MATERIAL</b>	STEEL		
<b>BARREL TYPES</b>	RIFLED		
<b>TOTAL LENGTH</b>	100 CM 39,37 INCH		
<b>NUMBER OF SHOTS PER FILL</b>	4.5mm/70 Shot	Shots 5.5mm/60 Shots	6.35mm /50 Shots
<b>LENGHT OF PULL</b>			
<b>STOCK</b>	TELESCOPIC		
<b>PICATINNY RAIL</b>	YES		
<b>MAGAZINE</b>	7075 ALUMINUM		
<b>MAGAZINE CAPACITY</b>	4.5 mm / 14 Pcs	5.5 mm / 12 Pcs	6.35 mm / 10 Pcs
<b>AIR TUBE VOLUME</b>	200 Bar / 280 CC		
<b>AVERAGE WEIGHT</b>	3,5 KG/7,71 POUND		
<b>TRIGGER</b>	4 WAY- ADJUSTABLE		





## BRT42

CALIBER	4.5 mm .177ca	5.5 mm .22cal	6.35 mm .25cal
VELOCITY	850/1100 fps	830/950 FPS 18.13gr JSB	800/870 fps
ENERGY	30 Joules	46 Joules	58 Joules
BARREL LENGTH	55CM 21,65 INCH		
BARREL MATERIAL	STEEL		
BARREL TYPES	RIFLED		
TOTAL LENGTH	100 CM 39,37 INCH		
NUMBER OF SHOTS PER FILL	4.5mm/70 Shot	Shots 5.5mm/60 Shots	6.35mm /50 Shots
LENGHT OF PULL			
STOCK	TURKISH WALNUT		
PICATINNY RAIL	YES		
MAGAZINE	7075 ALUMINUM		
MAGAZINE CAPACITY	4.5 mm / 14 Pcs	5.5 mm / 12 Pcs	6.35 mm / 10 Pcs
AIR TUBE VOLUME	200 Bar / 280 CC		
AVERAGE WEIGHT	3,5 KG/7,71 POUND		
TRIGGER	4 WAY- ADJUSTABLE		



## BRT43

CALIBER	4.5 mm .177ca	5.5 mm .22cal	6.35 mm .25cal
VELOCITY	850/1100 fps	830/950 FPS 18.13gr JSB	800/870 fps
ENERGY	30 Joules	46 Joules	58 Joules
BARREL LENGTH	55CM 21,65 INCH		
BARREL MATERIAL	STEEL		
BARREL TYPES	RIFLED		
TOTAL LENGTH	100 CM 39,37 INCH		
NUMBER OF SHOTS PER FILL	4.5mm/70 Shot	Shots 5.5mm/60 Shots	6.35mm /50 Shots
LENGHT OF PULL			
STOCK	LAMINATED		
PICATINNY RAIL	YES		
MAGAZINE	7075 ALUMINUM		
MAGAZINE CAPACITY	4.5 mm / 14 Pcs	5.5 mm / 12 Pcs	6.35 mm / 10 Pcs
AIR TUBE VOLUME	200 Bar / 280 CC		
AVERAGE WEIGHT	3,5 KG/7,71 POUND		
TRIGGER	4 WAY- ADJUSTABLE		



PCP RIFLE COLOR OPTIONS



[www.barathrumsilah.com](http://www.barathrumsilah.com)

Barathrum Silah San. Tic. Ltd. Őti.  
Fevziçakmak Mh. 10749. Sk No.12 Karatay/Konya



barathrumgunsofficial